

Our unique manufacturing process offers ...


ENDLESS FIN CONFIGURATION OPTIONS.

High Quality Ultrasonic Weld

ULTRAFAB's unique ultrasonic welding assembles the fibers and backing into an integrated, unified assembly that won't break apart during fabrication or while in use. No possibility of off-center pile that binds, breaks or stretches in an extrusion

Easy Insertion

ULTRAFAB products are easier to insert than other manufacturers' woven weatherseals saving time and labor. Our automated insertion systems are terrific productivity builders for fabricators or extruders.



Ultra Fin®

A single, pliable, barrier fin in a unified assembly with self-supporting pile, and built-in "pile directors", provides an excellent seal with low opening force and low friction.

- Pile height and backing width are always uniform because of ULTRAFAB's unique non-woven manufacturing systems.
- Ultra Fin® weatherseals have the structural integrity and consistency which assures a tight seal and barrier against air and water infiltration.
- Ultra Fin® weatherseals have the structural integrity and consistency which assures a tight seal and barrier against air and water infiltration.



Soft Touch

A soft, non-woven fabric fin in a unified assembly with self-supporting pile, and built-in 'pile/fin directors', provides an excellent seal with very low friction.

- Solid polypropylene backing inserts more easily, saving time and reducing waste.
- Pile height and backing width are always uniform because of ULTRAFAB's unique non-woven manufacturing systems.
- Soft Touch Fin® weatherseals have the structural integrity and consistency which assures a tight seal and barrier against air and water infiltration.
- Excellent for applications that require a quiet operating seal.



Tri-fin®

Three pliable barrier fins integrated into an assembly with self-supporting pile dramatically improves overall performance.

- Built-in "pile directors" providing the ultimate seal in a pile and fin weatherseal.
- Tests have indicated a 25% improvement in air infiltration compared to a single fin.
- Pile height and backing width are always uniform because of ULTRAFAB's unique non-woven manufacturing systems.
- Tri-Fin® weatherseals have the structural integrity and consistency which assures a tight seal and barrier against air and water infiltration.



Ultra Reach®

A single pliable barrier fin in a unified assembly with self-supporting pile and built-in "pile directors", provides an excellent seal with low opening force and low friction.

- Solid polypropylene backing inserts more easily, saving time and reducing waste.
- Pile height and backing width are always uniform because of ULTRAFAB's unique non-woven manufacturing systems.
- Ultra Reach weatherseals have the structural integrity and consistency which assure a tight seal and barrier against air and water infiltration.



Side Shield

Two pliable barrier fins located in a unified assembly with self-supporting pile creates an effective seal that reduces operational force.

- Dual fin design improves performance of window system.
- Fins strategically locates barrier to reduce air infiltration.
- Pile height and backing width are always uniform because of ULTRAFAB's unique non-woven manufacturing systems.

ULTRAFAB®
INC.

© 2007